



**Science
Societies**

Optimizing Industrial Hemp Production with Dr. Josh Freeman

July 12, 2023



Industrial hemp has only recently been re-introduced in American production systems. Therefore, there's a lot to learn about how to best produce this versatile crop in

American climates. In Episode 91 of the podcast *Field, Lab, Earth*, Dr. Josh Freeman discusses his work testing current growing practices to see where improvements can be made.

Listen to the podcast by visiting <https://fieldlabearth.libsyn.com> or via your podcast platform of choice. Earn 0.5 CEUs in Crop Management by taking the quiz at <https://bit.ly/3N4V3VA>.

1. **The difference between marijuana and industrial hemp is defined in the U.S. by a difference in levels of**
 - a. THC.
 - b. CBD.
 - c. total cannabinoid levels.
 - d. None of the above.
2. **The two main groups of industrial hemp are grain/fiber varieties and essential oil varieties.**
 - a. True.
 - b. False.
3. **Which of the following was listed as an obstacle for herbicide registration for hemp?**
 - a. Testing and approval requirements.
 - b. Expense for development and registration.
 - c. Initial concerns over the hemp market in the U.S.
 - d. All of the above.
4. **The results of these experiments showed that**
 - a. pinching was beneficial to yield but low planting density was not.
 - b. both pinching and low planting density were beneficial to yield.
 - c. low planting density was beneficial to yield, but pinching was not.

- d. neither low planting density nor pinching were beneficial to yield.
5. **It was recommended for farmers to test for cannabinoid levels approximately every**
- a. other day.
 - b. three days.
 - c. two weeks.
 - d. four weeks.
-

Text © . The authors. CC BY-NC-ND 4.0. Except where otherwise noted, images are subject to copyright. Any reuse without express permission from the copyright owner is prohibited.